

Sport

Based on many years of accumulated knowledge and experience, Barenbrug offers products for a wide range of applications. And we have the references to prove it. Barenbrug turf grasses are used in international leagues and prestigious events like the UEFA European Championship, the football World Cup and the Olympic Games.

Super-fast recovery at low temperatures

- Fastest establishment
- For overseeding at low temperatures (from 4°)
- For extremely fast recovery of football fields and parks
- Increases the number of playing hours
- Reduction of annual meadow grass



New seeding Overseeding

Characteristics

Fast establishment



Self repairing

會會

High wear tolerance



High drought tolerance

Germination low temperatures 6°C

Requires less irrigation

Requires less fertilisers

*

Requires less pesticide



Fastest establishment

The fastest establishment is possible with the latest generation of annual ryegrass: SOS®! This characteristic has made SOS® a very well-known and popular grass mixture in the past few years. The ability to renovate sports pitches is very important in winter, to make the pitches suitable for playing again as soon as possible. Overseeding with SOS® guarantees a grass cover of at least 60% within one month. That's no less than 18 days faster than can be achieved with standard perennial ryegrass mixtures.

Overseeding at low temperatures


Overseeding at low temperatures is impossible with most grass mixtures. SOS^{\otimes} , on the contrary, can be used for overseeding at soil temperatures as low as 4 °C. Clubs usually have to improvise so as to be able to keep on playing on suitable pitches. SOS^{\otimes} puts an end to all that. When used at the right time, at the end of the winter, SOS^{\otimes} will ensure a sward of a high quality

The following graph shows just how quickly SOS^{\circledast} establishes and restores the sward when it is overseeded in January at a soil temperature of 4 °C. One month later the grass cover is already more than 60%. SOS^{\circledast} is the perfect solution for overseeding at low temperatures.

Establishment SOS in January 100 90 80 Turf density (%) 70 60 50 40 30 20 10 0 10 30 40 50 60 **Days After Seeding 60**3 perennial ryegrass

Extending the playing season

Extending the playing season is not a matter of course; the usual grass mixtures don't germinate at low soil temperatures. SOS®, however, can extend the playing season with a few months. A pitch that is overseeded during early spring will retain a good grass cover. Pitches can then be used more intensively than in the past. SOS® may extend the playing season by up to a hundred hours a year.





SOS® vs Annual meadow grass

When light green patches appear on a sports field, the groundsman knows the score: annual meadow grass! If annual meadow grass is left to grow, it will become dominant in the field within three years. Newly laid out sports fields in particular are a target for annual meadow grass. SOS® is an excellent product, especially in the winter months as it germinates at a temperature as low as 4 °C. This is sooner than annual meadow grass, which germinates at around 8 °C. SOS® is therefore another serious challenger of annual meadow grass.

■BARENBRUG

Sport

Based on many years of accumulated knowledge and experience, Barenbrug offers products for a wide range of applications. And we have the references to prove it. Barenbrug turf grasses are used in international leagues and prestigious events like the UEFA European Championship, the football World Cup and the Olympic Games.



Characteristics

Fast establishment



Self repairing

食食

High wear tolerance



High drought tolerance

Germination low temperatures 6°C

Requires less irrigation


Requires less fertilisers

**

Requires less pesticide



More about annual meadow grass go to www.barenbrug.biz/annual-meadow-grass



Predicting germination

Laboratory tests carried out by Barenbrug Research showed that it is possible to predict the germination of SOS® by calculating the so-called Growing Degree Days (GDDs). The GDD formula was developed on the basis of the emergence of the first green leaves. SOS®, Bargold and Barlennium (perennial ryegrass) are the varieties that were used in the tests.

SOS® was found to emerge earlier, and on top of that there was also a significant difference in the development phase. The emerging SOS® leaves were twice as long and grew faster than the leaves of perennial ryegrass. The leaves also emerged faster and looked better in the field. This showed that it is possible to predict the germination of SOS®.

Datum	Mixima temperatuur Celsius	Minima temperatuur Celsius	Gem. Temp per dag	Graad- dagen som	Situatie plant
16-nov	12,5	7,5	10	10	Moment van inzaai
17-nov	11,5	7,5	9,5	19,5	
18-nov	11,5	7,5	9,5	29	
19-nov	11,5	7,5	9,5	38,5	
20-nov	11,5	7,5	9,5	48	
21-nov	11,5	7,5	9,5	57,5	
22-nov	11,5	7,5	9,5	67	
23-nov	11,5	7,5	9,5	76,5	
24-nov	11,5	7,5	9,5	86	
25-nov	11,5	7,5	9,5	95,5	Eerste plantentoppen SOS
26-nov	12	7,5	9,8	105,3	Echte kieming met groen blad SOS
27-nov	9	7,5	8,3	113,6	Eerste planten toppen Bargold
28-nov	9	7,5	8,3	121,9	Eerste planten toppen Barlennium

Specifications

Speed of establishment
Nitrogen requirement
Speed of growth
Sowing rate
Mowing height
Packaging

extremely fast high extremely fast 3 - 5 kg/100m² 12 - 40 mm 15 kg

Composition

50% SOS® 50% Lolium perenne

Sport

Based on many years of accumulated knowledge and experience, Barenbrug offers products for a wide range of applications. And we have the references to prove it. Barenbrug turf grasses are used in international leagues and prestigious events like the UEFA European Championship, the football World Cup and the Olympic Games.



Characteristics

Fast establishment



Self repairing

會會

High wear tolerance



High drought tolerance

食食

Germination low temperatures 6°C

Requires less irrigation

Requires less fertilisers

Requires less pesticide
